Overview

HP Solid State Drives (SSDs) deliver exceptional performance and endurance for customers with applications requiring high random read IOPs performance. Leveraging NAND Flash technology, they support HP ProLiant servers and server storage platforms. They are generally available as Small Form Factor (SFF) and Large Form Factor (LFF) hot plug devices, non-hot plug SFF devices, and SFF Quick Release devices. These drives deliver higher performance, lower latency, and more power-efficient solutions when compared with traditional rotating media. Plus they fit seamlessly into the existing HP server infrastructure.



What's New

• HP Enterprise Value 6G SATA Value Endurance Solid State Drives for ProLiant Gen8 Servers (New Capacity SKUs)



Models

Models	
HP Solid State Drives (SSD)	
HP SSD SATA Drives	
6G SATA Value Endurance Hot Plug SFF (2.5-inch) Enterprise Boot Solid State Drives	
HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	717965-B21
NOTE: This drive supports Gen8 servers only.	
HP 120GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728726-B21
HP 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	734360-B21
NOTE: This drive supports Gen8 servers only.	
HP 80GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	734366-B21
6G SATA Value Endurance Hot Plug LFF (3.5-inch) Enterprise Boot Solid State Drives	
HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	718171-B21
HP 120GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728732-B21
HP 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	734362-B21
HP 80GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	734368-B21
6G SATA Value Endurance Hot Plug SFF (2.5-inch) Enterprise Value Solid State Drives	
HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	717973-B21
NOTE: This drive supports Gen8 servers only.	
HP 800GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728743-B21
HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	717971-B21
HP 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728739-B21
HP 600GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	739898-B21
NOTE: This drive supports Gen8 servers only.	720000 021
HP 300GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	739888-B21
HP 600GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	739904-B21
HP 300GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive	739894-B21
NOTE: This drive supports G7 servers only.	
HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	717969-B21
NOTE: This drives supports Gen8 servers only.	
HP 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728735-B21
6G SATA Value Endurance Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives	
HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	718189-B21
NOTE: This drive supports Gen8 servers only.	10103-021

NOTE: This drive supports Gen8 servers only.



М	od	el	S
IM	υu	e	เร

Models	
HP 800GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728745-B21
HP 600GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	739900-B21
HP 600GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	739906-B21
HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	718183-B21
HP 480GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728741-B21
HP 300GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	739890-B21
HP 300GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	739896-B21
HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	718177-B21
HP 240GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive NOTE: This drive supports G7 servers only.	728737-B21
6G SATA ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives	
NOTE: These drives support Gen8 servers only.	
HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691868-B21
HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691866-B21
HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691864-B21
HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691862-B21
6G SATA ME Hot Plug LFF (3.5-inch) Enterprise Mainstream Solid State Drives	
NOTE: These drives support Gen8 servers only.	
HP 800GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691860-B21
HP 400GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691856-B21
HP 200GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691854-B21
HP 100GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691852-B21
6G SATA ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives	001002 021
NOTE: These drives support G6 and G7 servers only.	
HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730065-B21
HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730063-B21
HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730061-B21
HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730059-B21
HP SSD SAS Drives	, 50055 BEI
6G SAS ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives	
HP 800GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	690829-B21
NOTE: This drive supports Gen8 servers only.	
HP 800GB 6G SAS Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Warranty Solid State Drive NOTE: This drive supports G6 and G7 servers only.	690823-B21
HP 400GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	690827-B21
HP 400GB 6G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Warranty Solid State Drive NOTE: This drive supports G6 and G7 servers only.	690821-B21



HP Solid State Drives (SSD)

Models	
HP 200GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive NOTE: This drive supports Gen8 servers only.	690825-B21
HP 200GB 6G SAS Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Warranty Solid State Drive NOTE: This drive supports G6 and G7 servers only.	690819-B21
6G SAS SLC Hot Plug SFF (2.5-inch) Enterprise Performance Solid State Drives	
HP 400GB 6G SAS SLC SFF (2.5-inch) SC Enterprise Performance 3yr Warranty Solid State Drive NOTE: This drive supports Gen8 servers only.	653082-B21
HP 400GB 6G SAS SLC SFF (2.5-inch) Enterprise Performance 3yr Warranty Solid State Drive NOTE: This drive supports G6 and G7 servers only.	632494-B21
HP 200GB 6G SAS SLC SFF (2.5-inch) SC Enterprise Performance 3yr Warranty Solid State Drive NOTE: This drive supports Gen8 servers only.	653078-B21
HP 200GB 6G SAS SLC SFF (2.5-inch) Enterprise Performance 3yr Warranty Solid State Drive NOTE: This drive supports G6 and G7 servers only.	632492-B21
HP SSD SATA Quick Release Drives	
6G SATA Value Endurance Quick Release SFF (2.5-inch) Enterprise Boot Solid State Drives	
NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.	
HP 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive	718174-B21
HP 80GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive	734364-B21
6G SATA Value Endurance Quick Release SFF (2.5-inch) Enterprise Value Solid State Drives	
NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.	
HP 800GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3y Wty Solid State Drive	718192-B21
HP 600GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive	739902-B21
HP 480GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive	718186-B21
HP 300GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive NOTE: This drive also supports the Moonshot System.	739892-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive NOTE: This drive also supports the Moonshot System.	718180-B21
6G SATA ME Quick Release SFF (2.5-inch) Enterprise Mainstream Solid State Drives	
NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.	
HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730057-B21
HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730055-B21
HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730053-B21
HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730051-B21
3G SATA MLC Quick Release SFF (2.5-inch) Enterprise Mainstream Solid State Drives	
NOTE: These drives support G6, G7, and Gen8 servers only.	
HP 400GB 3G SATA MLC SFF (2.5-inch) Quick-release Enterprise Mainstream 3yr Wty Solid State Drive	636625-B21



Standard Feature	S		
What is SSD?		device using semiconductor technology an auxiliary power source.	to store and access data which is non-
SSD Quality	data moving to the server In this environment, stora defining both the systems qualification process that our drives and is designed	prise is seeing larger, more complex appl , increasing demand for transaction proc ge has become a critical component of t reliability and performance. This is why eliminates firmware and O/S incompatib to maximize both functionality and com optimum performance in the HP equipme	essing and critical server consolidation ne information system, significantly HP drives undergo an intense ilities. All drive firmware is specific to patibility. All of our drives are proven t
Integration	another supplier, there is a ProLiant servers and stora rob your system of perfor designed and tested for fla	ive with third party drives are "simple" in no guarantee that a drive has been corre age systems. These incompatibilities can mance, or at their worst, can cause you t awless operation in your HP equipment. asociated components are right for your	ctly set for proper operation with create problems in configuration, can o lose data. HP drives are specifically The integration of solid state drives in
Support Matrix	http://h18004.www1.hp.c	JRL for the latest list of supported server com/products/servers/proliantstorage/d es are 15mm Z-height which restricts the	lrives-enclosures/docs/index.html
Maximum Usage Limitations	the device, defined as the N Write Endurance - Write en	miconductor technology that has a finite Aaximum Usage Limit, commonly called durance is measured while running 100%	write endurance.
	SSD		
	Drive Writes Per Day - Work Drive	kload environment is based on 100% ran Write endurance specifications for (
	Jive	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
	VE Enterprise Boot 80GB	40TB	0.3
	VE Enterprise Boot 120GB	75TB	0.3
	VE Enterprise Value 240GB	145TB	0.3
	VE Enterprise Value 480GB	290TB	0.3
	VE Enterprise Value 800GB	490TB	0.3



Standard Features

Drive	Write endurance specifications for 6G SATA Mainstream Endurance (ME) SSDs		
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)	
ME Enterprise Mainstream 100GB	1.8PB	10	
ME Enterprise Mainstream 200GB	3.6PB	10	
ME Enterprise Mainstream 400GB	7.2PB	10	
ME Enterprise Mainstream 800GB	14.6PB	10	
Drive	Write endurance specification	s for 6G SAS SSD Devices	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years	
ME Enterprise Mainstream 200GB	Up to 1.5PB	4.4	
ME Enterprise Mainstream 400GB	Up to 3.3PB	4.4	
ME Enterprise Mainstream 800GB	Up to 6.5PB	4.4	
200GB MLC	Up to 550TB	1.5	
400GB MLC	Up to 1PB	1.5	
800GB MLC	Up to 2PB	1.5	
200GB SLC	Up to 4.5PB	14	
400GB SLC	Up to 8.9PB	14	
Drive	Write endurance specifications	for 3G SATA SSD Devices	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years	
100GB MLC	Up to 981TB	5.5	
200GB MLC	Up to 1.9PB	5.5	
400GB MLC	Up to 3.9PB	5.5	

HP Solid State Drives are equipped with tools that can report the amount of lifetime remaining. Introducing HP SMARTSSD Wear Gauge™. In order to take advantage of SMARTSSD Wear Gauge™, Smart Array Firmware version 5.0 or greater is required and HP Array Configuration Utility (ACU) or HP Diagnostic Utility (ADU) must be running.

SNMP Storage Agents for both Microsoft[®] Windows[®] and Linux provide status and condition updates through traps, OS event logs and the HP System Management Homepage (http://h18013.www1.hp.com/products/servers/management/agents/index.html).

The HP SMARTSSD Wear Gauge™ requires a controller listed below (for pre-Gen8 servers) or a Gen8 Smart



HP Solid State Drives (SSD)

Standard Features

Array controller for HP ProLiant Gen8 servers.

- HP Smart Array P212 Controller
- HP Smart Array P410 Controller
- HP Smart Array P411 Controller
- HP Smart Array P711m Controller
- HP Smart Array P712m Controller
- HP Smart Array P812 Controller

NOTE: Subject to maximum usage/maximum supported lifetime limitations. Maximum Supported Lifetime is the period in years set to equal the warranty for the device. Maximum usage limit is the maximum amount of data that can be written to the device before reaching the device's write endurance limit.

HP Direct Connect to the HP Smart Array B110i SATA RAID Controller is not supported in this tool.

Data RetentionData Retention is the period of time for retaining the data in the NAND once the maximum rated endurance
level has occurred. These SSD's are rated for 3 months if no power is applied once the SSD has reached
maximum rated write endurance.

Warranty3/0/0 warranty; Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit:
This is the maximum amount of data that can be written to the drive. Drives that have reached this limit
will not be eligible for warranty coverage.



Service and Support

Service and Support HP Technology Services for ProLiant Servers

Capitalizing on HP ProLiant server capabilities requires a service partner who understands your increasingly complex business technology environment. That's why it makes sense to team up with the people who know HP infrastructure hardware and software best - the experienced professionals at HP Services.

Protect your business beyond warranty with HP Care Pack Services

HP Care Pack services offer complete care and support expertise with committed response choices designed to meet your IT and business needs.

HP Foundation Care services offer scalable reactive support-packages for HP industry-standard servers and software. You can choose the type and level of service that is most suitable for your IT and business needs. HP Proactive Care delivers high levels of system availability through proactive service management and advanced technical response.

Recommended HP Care Pack Services for your HP product

Optimized Care	3-Year HP 6 hour Call to Repair Response, Proactive Care Combined reactive and proactive support for hardware and software helping optimize your systems and delivering high levels of availability through proactive service management and advanced technical response. Hardware problem resolution to return the hardware in operating condition within 6 hours of the initial service request. A Technical Account Manager, as your single point of contact, will own your call or issue end to end until resolved. http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855EEE.pdf
	HP Installation of ProLiant Add On Options Service
	This easy-to-buy, easy-to-use HP Care Pack service helps ensure that your new HP hardware or software is installed smoothly, efficiently, and with minimal disruption of your IT and business.
Standard Care	3-Year HP 24x7 4 hour response, Proactive Care Service
	This service gives you combined reactive and proactive support including rapid access to our Advanced Solution Center to manage and prevent problems and a Technical Support Specialist with a broad level of technical knowledge that will engage with additional technical expertise as needed from HP's vast global resources. http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855EEE.pdf
	HP Installation of ProLiant Add On Options Service
	This easy-to-buy, easy-to-use HP Care Pack service helps ensure that your new HP hardware or software is installed smoothly, efficiently, and with minimal disruption of your IT and business.



Service and Support

Related Services	Proactive Care Personalized Support - Environmental Option The Personalized Support option provides an assigned Account Support Manager who can bring best practices from across the industry plus extra technical skills to your IT team. This option is only available as an add-on to HP Proactive Care Support.				
	HP Proactive Select Service Provides a flexible way to purchase HP best-in-class consultancy and technical services. You can buy Proactive Select Service Credits when you purchase your hardware and then use the credits over the next 12 months. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-3842ENN.pdf				
	NOTE: Additional HP Care Pack services can be found at: http://hp.com/go/cpc				
Insight Remote Support/Insight Online	HP Insight Remote Support provides 24 X 7 remote monitoring, proactive notifications, and problem resolution. This comes at no additional cost with your HP solution. Learn more about Insight Remote Support http://www.hp.com/go/insightremotesupport and Insight Online http://h18013.www1.hp.com/products/servers/management/insight-online/index.html				
	NOTE: Insight Remote Support is a prerequisite for HP Proactive Care.				
HP Support Center	Personalized online support portal with access to information, tools and experts to support HP business products. Submit support cases online, chat with HP experts, access support resources or collaborate with peers. Learn more http://www.hp.com/go/hpsc				
	HP's Support Center Mobile App allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime. HP Insight Remote Support and HP Support Center are available at no additional cost with a HP warranty, HP Care Pack or HP contractual support agreement.				
	NOTE: HP Support Center Mobile App above is subject to local availability.				
Parts and materials	HP will provide HP-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.				
	Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product QuickSpecs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.				



Service and Support

Warranty / Service For ProLiant servers and storage systems, the service on the main product covers HP-branded hardware Coverage options not designated by HP as requiring separate coverage, that are qualified for the server, purchased at the same time or afterward and internal to the enclosure. These items will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been reached. The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by HP due to malfunction. It does not apply Disk or SSD/Flash Drives that have not failed. SSD/Flash Drives that are specified by HP as consumable parts and/or that have reached maximum supported lifetime and/or the maximum usage limits as set forth in the manufacturer's operating manual, the product QuickSpecs, or the technical data sheet are not eligible for the defective media retention service feature option. Subject to: Maximum supported lifetime: This is a period in years set to equal the warranty for the specific drive. After this period no further service coverage will be available for the drive. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for services coverage. For more information To learn more on services for HP ESSN Options, please contact your HP sales representative or HP Authorized Channel Partner. Or visit: http://www.hp.com/services/proliant or www.hp.com/services/bladesystem



HP Solid State Drives

Application InformationSolid State Drives offer high performance, low latency, low power solutions that fit seamlessly into the HP
server infrastructure using HP's universal hot plug drive carrier
NOTE: Any drive with SC in the product description is for Gen8 hot plug server bays servers only. They
cannot be used in any other server generation.

HP SSD SATA Drives

6G SATA Value Endurance Hot Plug SFF (2.5-inch) Enterprise Boot Solid State Drives

NOTE: The 80GB and 120GB Enterprise Boot SSDs with Endurance Manager enabled are targeted for Boot/Swap applications and may have performance throttled due to write workloads.

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 120GB 6G SATA Value	717965-B21	Capacity	120GB	
Endurance SFF 2.5-in SC		Height	15mm	
Enterprise Boot 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Juliu Julie Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Sequential Reads	410 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 120GB 6G SATA Value	728726-B21	Capacity	120GB	
Endurance SFF 2.5-in	120120-021	Height	15mm	
Enterprise Boot 3yr Wty		Length x Width	Standard SFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Sequential Reads	410 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	734360-B21	Capacity Height Length x Width Interface	80GB 15mm Standard SFF SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed Random Reads Sequential Reads	N/A 59,000 IOP/s 335MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 80GB 6G SATA Value	734366-B21	Capacity	80GB	
Endurance SFF 2.5-in	734366-B21	Capacity Height	80GB 15mm	
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21			
Endurance SFF 2.5-in	734366-B21	Height	15mm	
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width	15mm Standard SFF	
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width Interface Transfer Rate	15mm Standard SFF SATA	N/A
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width Interface Transfer Rate Synchronous (Maximum)	15mm Standard SFF SATA 6Gbs	N/A 59,000 IOP/s
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width Interface Transfer Rate Synchronous (Maximum)	15mm Standard SFF SATA 6Gbs Rotational Speed	-
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width Interface Transfer Rate Synchronous (Maximum)	15mm Standard SFF SATA 6Gbs Rotational Speed Random Reads	59,000 IOP/s
Endurance SFF 2.5-in Enterprise Boot 3yr Wty	734366-B21	Height Length x Width Interface Transfer Rate Synchronous (Maximum) Performance	15mm Standard SFF SATA 6Gbs Rotational Speed Random Reads Sequential Reads	59,000 IOP/s 335MiB/s

6G SATA Value Endurance Hot Plug LFF (3.5-inch) Enterprise Boot Solid State Drives

NOTE: The 80GB and 120GB Enterprise Boot SSDs with Endurance Manager enabled are targeted for Boot/Swap applications and may have performance throttled due to write workloads.

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 120GB 6G SATA Value	718171-B21	Capacity	120GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Boot 3yr Wty Solid State Drive		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Sequential Reads	410 MiB/s
		Physical Configuration	Logical Blocks	512 bytes



HP Solid State Drives (SSD)

		Power Operating Temperature	9W 0-60°C	
		Operating Temperature	0-00 C	
HP 120GB 6G SATA Value	728732-B21	Capacity	120GB	
Endurance LFF 3.5-in		Height	15mm	
Enterprise Boot 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Solia State Di Ive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Sequential Reads	410 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 80GB 6G SATA Value	734362-B21	Capacity	80GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Boot 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Soliu State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	59,000 IOP/s
			Sequential Reads	335MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 80GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive	734368-B21	Capacity Height Length x Width Interface Transfer Rate	80GB 15mm Standard LFF SATA 6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed Random Reads Sequential Reads	N/A 59,000 IOP/ s 335MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

6G SATA Value Endurance Hot Plug SFF (2.5-inch) Enterprise Value Solid State Drives

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	717973-B21	Capacity Height Length x Width Interface Transfer Rate	800GB 15mm Standard SFF SATA 6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	12,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	445 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



Technical Specifications				
HP 800GB 6G SATA Value	728743-B21	Capacity	800GB	
Endurance SFF 2.5-in		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Jolia Jiale Dilve		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	12,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	445 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 600GB 6G SATA Value	739898-B21	Capacity	600GB	
Endurance SFF 2.5-in SC		Height	15mm	
Enterprise Value 3yr Wty		Length x Width	Standard SFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



reclined Specifications				
HP 600GB 6G SATA Value	739904-B21	Capacity	600GB	
Endurance SFF 2.5-in		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 480GB 6G SATA Value	717971-B21	Capacity	480GB	
Endurance SFF 2.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard LFF	
John State Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	



Technical Specifications				
HP 480GB 6G SATA Value	728739-B21	Capacity	480GB	
Endurance SFF 2.5-in		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Juliu Julie Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 300GB 6G SATA Value	739888-B21	Capacity	300GB	
Endurance SFF 2.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 300GB 6G SATA Value	739894-B21	Capacity	300GB	
Endurance SFF 2.5-in		Height	15mm	
Enterprise Value 3yr Wty		Length x Width	Standard SFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 240GB 6G SATA Value	717969-B21	Capacity	240GB	
Endurance SFF 2.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard LFF	
John State Brive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive	728735-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	240GB 15mm Standard SFF SATA 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes (Write Cache Off) Sequential Reads Sequential Writes (Write Cache off)	N/A 64,000 IOP/s 8,000 IOP/s 475 MiB/s 250 MiB/s
		Physical Configuration Power Operating Temperature	Logical Blocks 9W 0-60°C	512 bytes

6G SATA Value Endurance Hot Plug LFF (3.5-inch) Enterprise Value Solid State Drives NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 800GB 6G SATA Value	718189-B21	Capacity	800GB	
indurance LFF 3.5-in SC		Height	15mm	
Interprise Value 3yr Wty		Length x Width	Standard LFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	12,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	445 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 800GB 6G SATA Value	720745 B21	Conneitu	800GB	
Endurance LFF 3.5-in	728745-B21	Capacity		
Enterprise Value 3yr Wty		Height	15mm	
Solid State Drive		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	12,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	445 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 600GB 6G SATA Value	739900-B21	Capacity	600GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Juliu Julie Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	



	720006 B24	Con a situ	600CD	
HP 600GB 6G SATA Value Endurance LFF 3.5-in	739906-B21	Capacity	600GB	
Enterprise Value 3yr Wty		Height	15mm	
Solid State Drive		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 480GB 6G SATA Value	718183-B21	Capacity	480GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Solia State Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Power	900	



Technical Specifications				
HP 480GB 6G SATA Value	728741-B21	Capacity	480GB	
Endurance LFF 3.5-in		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
Juliu Julie Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 300GB 6G SATA Value	739890-B21	Capacity	300GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Value 3yr Wty		Length x Width	Standard SFF	
Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



	72000C B21	Constitut	20050	
HP 300GB 6G SATA Value Endurance LFF 3.5-in	739896-B21	Capacity	300GB	
Enterprise Value 3yr Wty		Height	15mm	
Solid State Drive		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 240GB 6G SATA Value	718177-B21	Capacity	240GB	
Endurance LFF 3.5-in SC		Height	15mm	
Enterprise Value 3yr Wty Solid State Drive		Length x Width	Standard SFF	
John State Brive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum) Performance	Detetional Canad	N/A
		Performance	Rotational Speed Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Power	200	



HP 240GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	728737-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	240GB 15mm Standard SFF SATA 6Gbs	N/A
		Performance	Rotational Speed Random Reads	N/A 64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

6G SATA ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives

HP 800GB 6G SATA	691868-B21	Capacity	800GB	
Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	61,000 IOP/s
			Random Writes (Write Cache Off)	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



Technical Specifications				
HP 400GB 6G SATA	691866-B21	Capacity	400GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard SFF	
State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 200GB 6G SATA	691864-B21	Capacity	200GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in SC Enterprise		Length x Width	Standard SFF	
Mainstream 3yr Wty Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	32,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	350MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691862-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	100GB 15mm Standard SFF SATA 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes (Write Cache Off) Sequential Reads Sequential Writes (Write Cache off)	N/A 63,000 IOP/s 19,200 IOP/s 480MiB/s 185MiB/s
		Physical Configuration Power Operating Temperature	Logical Blocks 9W 0-60°C	512 bytes

6G SATA ME Hot Plug LFF (3.5-inch) Enterprise Mainstream Solid State Drives

HP 800GB 6G SATA	691860-B21	Capacity	800GB	
Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive		Height	15mm	
		Length x Width	Standard LFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	61,000 IOP/s
			Random Writes (Write Cache Off)	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



Technical Specifications				
HP 400GB 6G SATA	691856-B21	Capacity	400GB	
Mainstream Endurance		Height	15mm	
LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard LFF	
State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 200GB 6G SATA	691854-B21	Capacity	200GB	
Mainstream Endurance		Height	15mm	
LFF 3.5-in SC Enterprise		Length x Width	Standard LFF	
Mainstream 3yr Wty Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	32,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	350MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 100GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691852-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	100GB 15mm Standard LFF SATA 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes (Write Cache Off) Sequential Reads Sequential Writes (Write Cache off)	N/A 63,000 IOP/s 19,200 IOP/s 480MiB/s 185MiB/s
		Physical Configuration Power Operating Temperature	Logical Blocks 9W 0-60°C	512 bytes

6G SATA ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives

HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730065-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	800GB 15mm Standard SFF SATA 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes (Write Cache Off)	N/A 61,000 IOP/s 35,000 IOP/s
			Sequential Reads Sequential Writes (Write Cache off)	480MiB/s 450MiB/s
		Physical Configuration Power	Logical Blocks 9W	512 bytes
		Operating Temperature	0-60°C	



HP 400GB 6G SATA	730063-B21	Capacity	400GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in Enterprise		Length x Width	Standard SFF	
Mainstream 3yr Wty Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 200GB 6G SATA	730061-B21	Capacity	200GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard SFF	
State Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	32,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	350MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730059-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum) Performance	100GB 15mm Standard SFF SATA 6Gbs Rotational Speed	N/A
		renormance	Random Reads Random Writes (Write Cache Off) Sequential Reads	63,000 IOP/s 19,200 IOP/s 480MiB/s
			Sequential Writes (Write Cache off)	185MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

HP SSD SAS Drives

6G SAS ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives

690829-B21	Capacity	800GB	
	Height	15mm	
	Length x Width	Standard SFF	
	Interface	SAS	
	Transfer Rate Synchronous (Maximum)	6Gbs	
	Performance	Rotational Speed	N/A
		Random Reads	51,700 IOP/s
		Random Writes (Write Cache Off)	13,000 IOP/s
		Sequential Reads	422MiB/s
		Sequential Writes (Write Cache off)	175MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
	690829-B21	Height Length x Width Interface Transfer Rate Synchronous (Maximum) Performance Physical Configuration Power	Height15mmLength x WidthStandard SFFInterfaceSASTransfer Rate Synchronous (Maximum)6GbsPerformanceRotational SpeedRandom Reads Random Writes (Write Cache Off)Sequential ReadsSequential Writes (Write Cache off)Sequential Writes (Write Cache off)Physical ConfigurationLogical BlocksPower9W



HP 800GB 6G SAS	690823-B21	Capacity	800GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in Enterprise		Length x Width	Standard SFF	
Mainstream 3yr Warranty Solid State Drive		Interface	SAS	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	51,700 IOP/s
			Random Writes	13,000 IOP/s
			Sequential Reads	422MiB/s
			Sequential Writes	175MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 400GB 6G SAS	690827-B21	Capacity	400GB	
Mainstream Endurance	050027-021	Height	15mm	
SFF 2.5-in SC Enterprise		Length x Width	Standard SFF	
Mainstream 3yr Wty Solid		Interface	SAS	
State Drive		Transfer Rate	6Gbs	
		Synchronous (Maximum)	babs	
		Performance	Rotational Speed	N/A
			Random Reads	46,200 IOP/s
			Random Writes (Write Cache Off)	9,800 IOP/s
			Sequential Reads	370MiB/s
			Sequential Writes (Write Cache off)	150MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	



		Operating Temperature	0-60°C	
		Power	9W	
		Physical Configuration	Logical Blocks	512 bytes
			Sequential Writes (Write Cache off)	
			Sequential Reads	370MiB/s
			Random Writes (Write Cache Off)	9,800 IOP/s
			Random Reads	46,200 IOP/s
		Performance	Rotational Speed	N/A
		Transfer Rate Synchronous (Maximum)	6Gbs	
State Drive		Interface	SAS	
Mainstream 3yr Wty Solid		Length x Width	Standard SFF	
Mainstream Endurance SFF 2.5-in SC Enterprise		Height	15mm	
HP 200GB 6G SAS	690825-B21	Capacity	200GB	
		Operating Temperature	0-60°C	
		Power	9W	
		Physical Configuration	Logical Blocks	512 bytes
			Sequential Writes	150MiB/s
			Sequential Reads	370MiB/s
			Random Writes	9,800 IOP/s
			Random Reads	46,200 IOP/s
		Performance	Rotational Speed	N/A
		Transfer Rate Synchronous (Maximum)	6Gbs	
Solid State Drive		Interface	SAS	
Mainstream 3yr Warranty		Length x Width	Standard SFF	
Mainstream Endurance SFF 2.5-in Enterprise		Height	15mm	
HP 400GB 6G SAS	690821-B21	Capacity	400GB	



Technical Specifications

HP 200GB 6G SAS Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Warranty Solid State Drive	690819-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	200GB 15mm Standard SFF SAS 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes	N/A 46,200 IOP/s 9,800 IOP/s 370MiB/s 150MiB/s
		Physical Configuration Power	Logical Blocks 9W	512 bytes
		Operating Temperature	0-60°C	

6G SAS SLC Hot Plug SFF (2.5-inch) Enterprise Performance Solid State Drives

HP 400GB 6G SAS SLC SFF (2.5-inch) SC Enterprise Performance 3yr Warranty Solid State Drive	653082-B21	Capacity Height Length x Width Interface Transfer Rate	400GB 15mm Standard SFF SAS 6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	40,000 IOP/s
			Random Writes	14.5K IOP/s
			Sequential Reads	415MiB/s
			Sequential Writes	180MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 400GB 6G SAS SLC SFF	632494-B21	Capacity	400GB	
(2.5-inch) Enterprise		Height	15mm	
Performance 3yr Warranty Solid State		Length x Width	Standard SFF	
Drive		Interface	SAS	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	40,000 IOP/s
			Random Writes (Write Cache Off)	14.5K IOP/s
			Sequential Reads	415MiB/s
			Sequential Writes (Write Cache off)	180MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 200GB 6G SAS SLC SFF	653078-B21	Capacity	200GB	
(2.5-inch) SC Enterprise		Height	15mm	
Performance 3yr		Length x Width	Standard SFF	
Warranty Solid State Drive		Interface	SAS	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	40,000 IOP/s
			Random Writes	14.5K IOP/s
			Sequential Reads	415MiB/s
			Sequential Writes	180MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



HP 200GB 6G SAS SLC SFF (2.5-inch) Enterprise Performance 3yr Warranty Solid State Drive	632492-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	200GB 15mm Standard SFF SAS 6Gbs	
		Performance	Rotational Speed Random Reads Random Writes (Write Cache Off) Sequential Reads Sequential Writes (Write Cache off)	N/A 40,000 IOP/s 13,000 IOP/s 350MiB/s 160MiB/s
		Physical Configuration Power Operating Temperature	Logical Blocks 9W O-60°C	512 bytes

HP SSD SATA Quick Release Drives

6G SATA Value Endurance Quick Release (2.5-inch) Enterprise Boot Solid State Drives

NOTE: The 80GB and 120GB Enterprise Boot SSDs with Endurance Manager enabled are targeted for Boot/Swap applications and may have performance throttled due to write workloads.

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive	718174-B21	Capacity Height Length x Width Interface Transfer Rate Synchronous (Maximum)	120GB 15mm Standard SFF SATA 6Gbs	
		Performance Physical Configuration	Rotational Speed Random Reads Sequential Reads Logical Blocks	N/A 64,000 IOP/s 410 MiB/s 512 bytes
		Power Operating Temperature	9W 0-60°C	STZ bytes



HP 80GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive	734364-B21	Capacity Height Length x Width Interface Transfer Rate	80GB 15mm Standard SFF SATA 6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed Random Reads Sequential Reads	N/A 59,000 IOP/s 335MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

6G SATA Value Endurance Quick Release SFF (2.5-inch) Enterprise Value Solid State Drives

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HP 800GB 6G SATA Value	718192-B21	Capacity	800GB	
Endurance SFF 2.5-in		Height	15mm	
Quick-release Enterprise		Length x Width	Standard LFF	
Value 3y Wty Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	12,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	445 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



Technical Specifications				
HP 600GB 6G SATA Value	739902-B21	Capacity	600GB	
Endurance SFF 2.5-in		Height	15mm	
Quick-release Enterprise Value 3yr Wty Solid State		Length x Width	Standard LFF	
Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 480GB 6G SATA Value	718186-B21	Capacity	480GB	
Endurance SFF 2.5-in		Height	15mm	
Quick-release Enterprise		Length x Width	Standard LFF	
Value 3yr Wty Solid State Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes (Write Cache off)	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	



reennear Speemeations				
HP 300GB 6G SATA Value	739892-B21	Capacity	300GB	
Endurance SFF 2.5-in		Height	15mm	
Quick-release Enterprise Value 3yr Wty Solid State		Length x Width	Standard LFF	
Drive		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 240GB 6G SATA Value	718180-B21	Capacity	240GB	
Endurance SFF 2.5-in		Height	15mm	
Quick-release Enterprise Value 3yr Wty Solid State		Length x Width	Standard SFF	
Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes (Write Cache Off)	8,000 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes (Write Cache off)	250 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	



6G SATA ME Quick Release SFF (2.5-inch) Enterprise Mainstream Solid State Drives

HP 800GB 6G SATA	730057-B21	Capacity	800GB		
Mainstream Endurance		Height	15mm		
SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard SFF		
State Drive		Interface	SATA		
		Transfer Rate Synchronous (Maximum)	6Gbs		
		Performance	Rotational Speed	N/A	
			Random Reads	61,000 IOP/s	
			Random Writes (Write Cache Off)	35,000 IOP/s	
			Sequential Reads	480MiB/s	
			Sequential Writes (Write Cache off)	450MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
HP 400GB 6G SATA	730055-B21	Capacity	400GB		
Mainstream Endurance		Height	15mm		
SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard SFF		
State Drive		Interface	SATA		
		Transfer Rate	6Gbs		
		Synchronous (Maximum)			
		Performance	Rotational Speed	N/A	
			Random Reads	63,000 IOP/s	
			Random Writes (Write Cache Off)	35,000 IOP/s	
			Sequential Reads	480MiB/s	
			Sequential Writes (Write Cache off)	450MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		



HP 200GB 6G SATA	730053-B21	Capacity	200GB	
Mainstream Endurance SFF 2.5-in QR Enterprise		Height	15mm	
Mainstream 3yr Wty Solid		Length x Width	Standard SFF	
State Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	32,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	350MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HP 100GB 6G SATA	730051-B21	Capacity	100GB	
Mainstream Endurance		Height	15mm	
SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid		Length x Width	Standard SFF	
State Drive		Interface	SATA	
		Transfer Rate	6Gbs	
		Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	63,000 IOP/s
			Random Writes (Write Cache Off)	19,200 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes (Write Cache off)	185MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	



3G SATA MLC Quick Release SFF (2.5-inch) Enterprise Mainstream Solid State Drives

HP 400GB 3G SATA MLC SFF (2.5-inch) Quick Release Enterprise Mainstream 3yr Wty Solid State Drive	636625-B21	Capacity Height	400GB 15mm	
		Length x Width	Standard SFF SATA 3Gbs	
		Interface		
		Transfer Rate Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Random Reads	32,000 IOP/s
			Random Writes	10,000 IOP/s
			Sequential Reads	257MiB/s
			Sequential Writes	235MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	7W	
		Operating Temperature	0-60°C	
Environment-friendly Products and Approach	End-of-life Management and Recycling	Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: http://www.hp.com/go/green. To recycle your product, please go to: http://www.hp.com/go/green or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.		
		treatment information for This information (product Packard web site at: http:/ used by recyclers and othe	VEEE directive (2002/95/EC) requires manufacturers to provide nt information for each product type for use by treatment facilities. rmation (product disassembly instructions) is posted on the Hewlett web site at: http://www.hp.com/go/green. These instructions may be recyclers and other WEEE treatment facilities as well as HP OEM rs who integrate and re-sell HP equipment.	

© Copyright 2013 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

Microsoft and Windows NT are US registered trademarks of Microsoft Corporation. Intel is a US registered trademark of Intel Corporation.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For hard drives, 1GB = 1 billion bytes. Actual formatted capacity is less.

