HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu

Powerfully designed to connect

Plug into more possibilities with the HP Series 5 Pro 27" QHD USB-C Monitor. Its sleek, modern design gives you crisp, stunning visuals and enhanced 100W power delivery with a single cable connection that seamlessly connects to PCs and peripherals at home or in the office.



*Product image may differ from actual product



Sustainability in action

Materials that make an impact

This energy-efficient monitor is thoughtfully designed with at least 90% recycled plastic content⁸, 20% recycled glass in the monitor panel¹⁰, and 90% recycled aluminum in the stand⁹. Plus, 100% of the paper-based packaging is sustainably sourced¹¹.



HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu

Featuring



QHD Resolution

Dive into the captivating definition and sharp details of 3.7 million pixels. 2560 x 1440 Quad HD resolution transforms all your content for a stunning viewing experience on this 27" monitor.¹

IPS Technology

No matter where you are or sit, IPS technology ensures image accuracy and consistency across wide 178-degrees horizontal and vertical viewing angles.¹

100 Hz Refresh Rate

With a 100 Hz refresh rate this monitor is capable of clear details, smoothly moving from frame to frame, allowing for fast split-second reaction time.¹

More Contrast

See the nuanced differences of color, shadow, and highlights thanks to the enhanced 1500:1 contrast ratio.¹

High Brightness

350 nits of brightness lets you see clearly. Enhance your visual performance for work or simply enjoying entertainment.¹

100% sRGB Color Gamut

Enjoy highly accurate colors on screen with 100% sRGB. This HP monitor provides ideal color reproduction with minimal effort.¹

Progressive White Balance

Work better with content that looks the same on both screens. Progressive White Balance is an HP technology that provides consistent white-point matching from screen-to-screen.²

USB-C® Connectivity

Keep your set up simple and seamless with a display that has everything built in. Connect a keyboard and mouse to the ports on the back of this monitor and only one USB-C* cable to your notebook for data, video, and up to 100W of charging.

Daisy-Chain a Second HP Series 5 Pro Monitor

Display even more with DisplayPort™ by daisy- chaining a second HP Series 5 Pro monitor for the perfect dual-display setup.^{4,5}

More Ports. More Power. Easily Accessible.

Packed with ports including full-function USB-C*, HDMI 2.0, DisplayPort* 1.4, USB-C* downstream, plus 3 USB-A 3.2 ports. 12

Sleek Design, Clean Space

See and do more on your screen with a 3-sided borderless with micro-edge bezel design that maximizes your viewing area for a sleek design and virtually seamless dualmonitor setups.

Endless Adjustability

With 4-way adjustability you can customize pivot, tilt, height adjust, and swivel settings to fit you, your desk, and your needs.

Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is an always-on, low-blue light filter that helps keep your eyes comfortable throughout the day by reducing blue light without impacting color accuracy or adding a yellow color shift.

Ergonomic Setup Guide

With world-class ergonomic practices at your fingertips, you have the knowledge to fine-tune your display's 4-way adjustability to achieve optimal comfort, all day, thanks to the step-by-step Ergonomic Setup Guide in HP Display Center.⁶⁷

HP Display Center

Customize your monitor with the intuitive HP Display Center that lets you tailor your settings, partition screens, and more–all through the host PC. Plus, learn how to find your perfect posture with help from the included HP Ergonomic Setup Guide.⁶⁷

Remote Management Reimagined

HP Client Management Script Library (CMSL) makes remote manageability easy to use. This powerful solution works seamlessly with Intune/SCCM to manage your display fleet using PowerShell.¹³

Single Power On

Instantly turn on your display and PC, even when the lid is closed, by pressing the power button on the bottom of the display.¹⁴

Increased Energy Efficiency

HP is committed to helping protect our shared future by minimizing the energy our monitors consume to help reduce energy demand. This monitor is held to the highest energy saving standard with an ENERGY STAR® rating and EPEAT® Gold Registration.¹⁵



HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu

Specifications

Display specifications

Display size Viewable diagonal size 27" (68.47 cm) Aspect ratio 16:9¹ Curvature Flat Native resolution QHD (2560 x 1440)^{1,2} **Resolution (maximum)** QHD (2560 x 1440 @ 100 Hz)1 **Resolutions supported** 640 x 480 @ 60 Hz; 640 x 480 @ 75 Hz; 720 x 400 @ 70 Hz; 800 x 600 @ 60 Hz; 800 x 600 @ 75 Hz; 1024 x 768 @ 60 Hz; 1280 x 720 @ 60 Hz; 1280 x 1024 @ 60 Hz; 1440 x 900 @ 60 Hz; 1600 x 900 @ 60 Hz; 1680 x 1050 @ 60 Hz; 1920 x 1080 @ 60 Hz; 1920 x 1080 @ 100 Hz; 1920 x 1200 @ 60 Hz; 2560 x 1440 @ 60 Hz; 2560 x 1440 @ 75 Hz; 2560 x 1440 @ 100 Hz; 1280 x 1024 @ 75 Hz; 1024 x 768 @ 75 Hz; 1280 x 800 @ 60 Hz; 1920 x 1080 @ 75 Hz Panel type Bezel 3-sided micro-edae Panel bit depth True 8 bit¹ **Display colors** Up to 16.7 million colors supported¹ Display color gamut 100% sRGB Refresh rate (maximum) 100 Hz¹ **Display scan frequency** 50-75 Hz (Vertical)¹ 30-155 kHz (Horizontal)¹ **Response time** 5ms GtG (with overdrive) Brightness 350 nits¹ Contrast ratio 1500:1 (Static)¹ 10000000:1 (Dynamic)¹ Pixel pitch 0.23 x 0.23 mm¹ **Pixels per inch (ppi)** 109 ppi¹ Viewing angle 178° (Vertical) 178° (Horizontal) Backlight type Edge-lit; WLED Backlight lamp life 30,000 hours **Display features** Single Power ON: Anti-glare: Height Adjust/Tilt/Swivel/Pivot: HP Eve Ease: Daisy chain¹³ **Display User Control Options** Brightness+; Color; Image; Input; Power; Menu; Management; Information; Exit Management software HP Display Center; HP Client Management Script Library⁵ Remote manageability In-Band MAC Address Pass Through (MAPT); Out-of-Band MAC Address Pass Through (MAPT); In-Band Wake on LAN (WoL); Out-of-Band Wake on LAN (WoL); PXE Boot; Through HP Client Management Script Library¹² Low blue light modes Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)¹ Flicker-free Yes Screen treatment Anti-glare Hardness 3H1 Haze 25% VESA mount 100 x 100 mm Height adjustment range 150 mm Tilt -5 to +20° Swivel ±45°

Connectivity and communications

Port and connectors

1 HDMI 2.0 1 DisplayPort[™] 1.4 1 DisplayPort[™] 1.4 1 USB Type-C* 5Gbps signaling rate (Up to 15W USB Power Delivery) 1 USB Type-C* 5Gbps signaling rate (Up to 100W USB Power Delivery, Alt Mode DisplayPort[™] 1.4) 3 USB Type-A 5Gbps signaling rate (1 charging) 1 RJ-45 (10/100/1000 Mbps) **HDCP** Yes, DisplayPort[™], HDMI and USB Type-C* **Power supply** 100 - 240 VAC 50/60 Hz (Internal) **Power consumption**

208 W (maximum), 30 W (typical), 0.5 W (standby)

Logistics and Physical

Product color Jet black Stand color Jet black: Natural silver Detachable stand Yes Physical security Security lock-ready4 Base area footprint 10.08 x 8.15 in Dimensions without Stand (W x D x H) 24.15 x 1.86 x 14.04 in (without stand) Dimensions with stand (W x D x H) 24.15 x 8.15 x 21.41 in Weight 15.87 lb (with stand) Packaged Dimensions (W x D x H) 27.52 x 6.3 x 17.56 in Packaged weight 23 lb

Certification and compliance

Energy efficiency ENERGY STAR[®] certified

Ecolabels

TCO Certified; TCO Certified Edge; EPEAT® Gold with Climate+6

Environmental specifications

Low halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic; Contains ocean-bound plastic; Contains 20% recycled glass in the monitor panel; At least 40% recycled metal including 90% recycled aluminum in the stand^{78,91011} Certifications

BIS; BSMI; CB; CCC; CE; CECP; CEL Grade 1; cTUVus; EAC; FCC; ICES; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; VCCI; WEEE; ISC; California Energy Commission (CEC); UAE; Ukraine certificates; TÜV Flicker free certified; NRCS; PSE; GS; Ukraine EE; TÜV Low Blue Light Hardware Solution certified: Korea MEPS: Australian-New Zealand DoC; EMF

Microsoft WHQL certification Windows 11; Windows 10

 Operating temperature range 41 to 95°F

 Operating humidity range 20 to 80% RH (non-condensing)

 Non-operating humidity range

Additional information

Manufacturer Warranty HP three-year limited warranty What's in the box Warranty card; AC power cable; Quick Setup Poster; 1 USB Type-C* to Type-C cable³ Country of origin Made in China



Pivot

HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu

Accessories and services (not included)

HP Business PC Security Lock v3 Kit	Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit. Product number: 3XJ17AA
HP S101 Speaker Bar	Add rich stereo audio to select E-Series monitors, Series 5 Pro monitors and P-Series monitors ¹ and keep a clean, clutter-free desk with the HP S101 Speaker Bar, which fits neatly underneath the display head and connects through USB. Product number: 5UU40AA ¹ Compatible with select HP P Series, E series, Series 5 Pro monitors. Please check detailed compatibility on accessory datasheet. ² HP includes a one-year limited warranty with online support available 24x7. Consult the HP Customer Support Center for details, or go to www.hp.com/go/orderdocuments. Internet access required and not included.
HP Quick Release Monitor Single Arm	Give yourself more options for comfort and more space on your desk with the HP Quick Release Monitor Arm. With three easy options to mount on your desk and quick release attach for select E-Series G5/Series 5 Pro ¹ and select Series 7 Pro monitors ² , it's never been easier to maximize workday comfort and desk space. Product number: 762U0AA ¹ Compatible with select HP E Series, Series 5 Pro, and Series 7 Pro monitors. Please check detailed compatibility on accessory datasheet. ² Requires monitor VESA adapter for selected models. Please contact your Sales agent or HP Service for further guidance.
HP B560 PC Mounting Bracket	Create a compact, efficient workspace with the HP B560 PC Mounting Bracket. Simply attach your select HP Desktop Mini PC ¹ directly behind your select E-Series G5/Series 5 Pro/Series 7 Pro ² monitors for an optimized space-saving solution that doesn't interfere with the display's 4-way adjustability. Product number: 763U8AA ¹ Compatible with Desktop Mini PCs and Workstations that have a 100 mm x 100 mm VESA mount. Use included spacer kit to allow compatibility with HP Thin Clients that have a 100 mm x 100 mm VESA mount. ² Compatible with select HP E Series, Series 5 Pro, and Series 7 Pro monitors. Please check detailed compatibility on accessory datasheet.
HP Desktop Mini v4+ VESA Sleeve	Wrap your HP Desktop Mini PC in the HP Desktop Mini v4+ VESA Sleeve to securely mount it- with or without an Expansion Module ¹² —behind your display, position the solution on a wall, and lock it down with the integrated security bracket and optional HP Ultra-Slim Cable Lock. Product number: 99154AA ¹ Each sold separately, Expansion Modules are compatible with the HP Desktop Mini v4+ VESA Sleeve (99154AA). The HP DM VESA Power Supply Holder Kit and HP DM VESA Quick Deploy Adhesive are only compatible with HP Desktop Mini v4+ VESA Sleeve (99154AA). See product QuickSpecs for exact configurations. ² Requires HP Quick Release Monitor Arm, or HP B600/B550/B560 PC mounting bracket for selected models. Please contact your Sales agent or HP Service for further guidance.



HP Series 5 Pro 27 inch QHD USB-C Monitor - 527pu

Footnotes

Messaging Footnotes

¹All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower. ² HP's Progressive White Balance feature is designed to calibrate 100% full white on HP Series 5 Pro monitors. This adjustment is intended to align the white point more closely among various HP Series 5 Pro monitors. However, due to the nature of monitors, perceptible differences in the white color may still occur when the monitors are viewed from varying angles.

³ Works across any OS. Keeps the same power delivery when connecting multiple devices.

⁴100 Hz refresh rate supported on host PCs with DisplayPort* 1.2 or higher. Host PC may affect the refresh rate combinations of monitors 1 and 2. Refresh rates can be user enabled in PC settings.

⁵ HP Series 5 Pro monitor or additional monitor sold separately.

⁶ Ergonomic Setup Guide is available through HP Display Center. Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store

- ⁷ Host PC requires Windows 10 or higher. HP Display Center is available for download on the Microsoft store for Windows or support. hp.com for Windows and MacOS. ⁸ Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT* standard for computers, IEEE 1680.1-2018 standard.

⁹ Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams. ¹⁰ Percentage of recycled glass in the monitor panel varies by product. Recycled glass is expressed as a percentage of the total weight of the glass.

¹¹ 100% of paper-based packaging made from sustainably sourced, certified, and recycled fibers.

¹² AC Power cable and USB-C 3.2 Gen 1 cable included. All other cables sold separately.

¹³ HP CMSL is estimated to be available between November 2024 to April 2025. HP CMSL is only supported on 64-bit PowerShell 51 and higher, CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to leaacy displays. Visit support.hp.com to download HP CMSL.

¹⁴ Single Power On only compatible with HP PCs with Windows 10 or higher.

¹⁵ Based on US EPEAT[®] registration according to IEEE 1680.1-2018 EPEAT[®]. Status varies by country. Visit www.epeat.net for more information. EPEAT[®] is a world class ecolabel for electronics and technology products. EPEAT[®] Gold with Climate+ reaistered products have met riaorous criteria and been independently verified to assure they have been thoughtfully designed with the planet in mind. With EPEAT Climate+, you're not just choosing products; you're choosing a movement towards corporate responsibility and climate action. This product has been verified to meet ENERGY STAR* requirements.

Technical Specifications Footnotes

¹All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower

² DisplayPort^{**} 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 8-bit color using one DisplayPort^{**}, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 and include one DisplayPort™ or one HDMI outputs to drive the monitor at the Preferred Mode. ³ Included cables may vary by country.

- ⁴ Lock sold separately.
- ⁵ Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.

⁶ EPEAT* registered where applicable. EPEAT* registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT* registration according to IEEE 16801-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

⁷ Percentage of recycled glass in the monitor panel varies by product. Recycled glass is expressed as a percentage of the total weight of the glass

⁸ Ocean Bound plastic is expressed as a percentage of the total weight plastic. Ocean Bound plastic is based on the definition set by the UL2809 standard.

⁹ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

¹⁰ 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

¹¹ Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

12 The Client Management Script Library must be downloaded to the connected PC to run CMSL commands. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort" and the DisplayPort" in logo are trademarks owned by the Video Electronics Standards Association (VESA') in the United States and other countries. USB Type-C" and USB-C" are registered trademarks of USB Implementers Forum. © 2017 Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC. EVERCY STAR* is a registered mark nowned by the UEPAT" in the United States and other countries. USB Type-C" and USB-C" are registered trademarks of Google LLC. EVERCY STAR* is a registered trademark of Gene Electronics.

