Samsung & Logitech **Video Collaboration Solutions**

Powerful collaboration solutions for home or office Monitor | Smart Signage | Flip | Logitech Room solutions



logitech SAMSUNG

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

About Logitech

Logitech is a world leader in video collaboration. We provide room solutions and personal collaboration tools to video-enable meeting rooms, huddle rooms, and desktops. Simple to deploy, easy-to-use, and affordable, Logitech products deliver razor-sharp video and crystal- clear audio, and work with all leading video platforms.

Copyright © 2021 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered t rademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

2021-04

logitech SAMSUNG

Solutions for personal workplace

In today's flexible working environment, businesses of all sizes need to provide technology that enables employees to stay connected whether in the office or working remotely. Samsung's powerful displays can turn any space into an efficient work- station. With sizes, resolutions and screen types to meet any need, businesses can select the exact setup each employee needs to work and collaborate effectively - from home or office. Adding a Logitech USB-compatible personal video confer- encing solution instantly transforms the working space into an integrated and highly effective workspace. Given the right tools, employees can be productive and connected to their team from anywhere.

How to choose the best solution per your needs





Solutions for meeting rooms

No meeting room is complete without a Samsung display and Logitech meeting room solution. Offering plug-and-play compatibility, one touch meeting controls and certified to work with industry leading meeting room software. Businesses can be sure to find the optimal setup for any meeting room regardless of the size, layout or budget. With a wide range of display sizes to choose from, and scalable video collaboration kits, Samsung and Logitech's bundled meeting room solutions are effective and easy to use. The right tools help save valuable time and make teamwork and collaboration seamless.

How to choose the best solution per your needs



	Samsung	Logitech				Logitech	
Sta	ndard monitor	Business web camera		Interactive	Smart S	Signage	Meeting room hardware
T65F • FHD • Ergonomic stand • Speaker	M50A • FHD • Office 365 / Samsung DeX • Mobile connectivity (Airplay 2, Tap view) • Smart TV Apps • USB Hub, Speaker	C925E FHD video calling Autofocus, 2 omni-directional mic, privacy shade Field of view : 78° 	Small size	Flip (WMR series) • UHD resolution • Brightness : 350nit • Operation hour : 16/7 • InGlass™ touch • Multi writing up to 4	QBR series • UHD resolution • Brightness : 350nit • Operation hour : 16/7	QMR series • UHD resolution • Brightness : 500nit • Operation hour : 24/7 • Non-glare panel	Logitech Rally Bar Mini ● UHD camera with a pan, tilt lens with 4X HD digital zoom ● Adaptive beamforming mics, room-filling sound ● Al-powered with RightSense™ technologies ● One-touch join with tap ● Run in appliance mode* or USB connect
			rooms	55" 65"	50" 55"	50" 55"	with compute or laptop
Adv	ranced monitor	Business web camera		Interactive	Smart S	Signage	Meeting room hardware
 SACULA 9(DJ, IPS(24° 27″) USB-C(90W), USB Hub Pronomic stand Intelligent Eye Care (TUV) 	 SASENA UWQHD(21:9), Curved(1000R) USB-C(90W), USB Hub, LAN port Igonomic stand Intelligent Eye Care (TUV) 	C930E • FHD video calling • Jutofocus, 2 omni-directional mics, privacy shade • Field of view : 90°	Medium size rooms	<section-header><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></section-header>	OBR series • UHD resolution • Brightness : 350nit • Operation hour : 16/7 • Operation hour : 16/7 • Operation hour : 16/7	 CMMR series UHD resolution Brightness: 500nit Operation hour: 24/7 Non-glare panel 	 Logitech Rally Bar UHD camera, automated pan, tilt lens with 15X HD zoom Adaptive beamforming mics, room-filling sound, high-performance audio Al-powered with RightSense™ technologies One-touch join with tap Nin in appliance mode* or USB connect with compute or laptop
Profe	essional monitor	UHD Pro web camera		Interactive	Smart S	Signage	Meeting room hardware
 HTTOA UHD Office 365 / Samsung DeX Mobile connectivity (Airplay 2, Tap view) Smart TV Apps USB-C (65W) USB Hub, Speaker 	SBOUA • UHD, IPS • USB-C(90W), USB Hub, LAN port • Ergonomic stand • Intelligent Eye Care (TUV)	 BRIC 9. UHD video calling 9. st digital zoom in FHD 9. Autofocus, 2 omni-directional mics, privacy shade 9. Multiple mounting options 9. Field of View : Diagonal 90°, Horizontal 82.1°, Vertical 52.2° 	Large size rooms	Flip (WMR series) • UHD resolution • Brightness : 350nit • Operation hour : 16/7 • IR(Infra Red) touch • Multi writing up to 20 Flip (WMR series) • Multi writing up to 20 85"	OBR/QBT series • UHD resolution • Brightness : 350nit • Operation hour: 16/7(85°), 24/7(98°) • Operation hour: 16/7(85°), 24/7(98°)	OMR/OMT series • UHD resolution • Brightness : 500nit • Operation hour : 24/7 • Non-glare panel • Non-glare panel • Series (1988)	 Logitech Rally Plus UHD 4K resolution Room-filling sound(up to 46 seat) Al-powered with RightSense™ technologies PtZ lens, Rally Speakers(2), Rally Mic Pods (up to 7) One-touch join with tap Run in appliance mode* or USB connect with compute or laptop
32"	27"			85" * Works with		85" 98" GoTo] pexip[RingCent

Specifications

Samsung monitors

Category	Model	Screen size	Flat/Curved	Aspect ratio	Resolution	Panel	Brightness	Refresh rate	Connectivity	Design
Standard	T65F	24"	Flat	16:9	1920 x 1080	IPS	250 nit	75 Hz	USB 3.0, USB 2.0(2), DP1.2, HDMI1.4, DVI	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Pivot, Wall/bracket mountable)
Standard	M50A	27", 32"	Flat	16:9	1920 x 1080	VA	250 nit	60 Hz	USB(2), HDMI 2.0(2), WiFi, Bluetooth	Borderless design, Built-in Speaker, Simple Stand (Tilt)
	S60UA	24"	Flat	16:9	2560 x1440	IPS	300 nit	75 Hz	USB Type-C, USB 3.0, USB 2.0(2), HDMI1.4, DP1.2, DP out 1.2, Headphone IN	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Pivot, Wall/bracket mountable)
Advanced	S60UA	27"	Flat	16:9	2560 x1440	IPS	300 nit	75 Hz	USB Type-C, LAN, USB 3.0(3), HDMI1.4, DP1.2, DP out 1.2, Headphone IN	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Pivot, Wall/bracket mountable)
Auvanceu	S60UA	32"	Flat	16:9	2560 x1440	VA	300 nit	75 Hz	USB Type-C, LAN, USB 3.0(3), HDMI14, DP1.2, DP out1.2, Headphone IN	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Pivot, Wall/bracket mountable)
	S65UA	34"	Curved (1000R)	21:9	3440 x 1440	VA	300 nit	100 Hz	USB Type-C, LAN, USB 3.0(3), DP1.2, HDMI 2.0	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Wall/ bracket mountable)
Profossional	M70A	32"	Flat	16:9	3840 x 2160	VA	250 nit	60 Hz	USB Type-C, USB 2.0(3), HDMI 2.0(2), WiFi, Bluetooth	Borderless design, Built-in Speaker, Simple Stand (Tilt)
Professional	S80UA	27"	Flat	16:9	3840 x 2160	IPS	300 nit	60 Hz	USB Type-C, USB 3.0(3), DP1.2, HDMI 2.0	Borderless design, Ergonomic design (HAS, Tilt, Swivel, Pivot, Wall/bracket mountable)

Samsung displays

Category	Model	Screen size	Resolution	Brightness	Contrast ratio	Operation hour	Panel type	SoC	S/W	Connectivity
	QBR	50", 55", 65", 75", 85"	3840 x 2160	350 nit	4000:1	16/7	-	SSSP 6.0	MagicINFO S6	- In: DVI-D, HDMI 2.0(2), HDCP 2.2, Stereo Mini Jack, USB 2.0(2) - Out: Stereo Mini Jack - Ext: RS232C(in/out), RJ45
Smart	QBT	98"	3840 x 2160	350 nit	4000:1	24/7	Non-glare	SSSP 6.0	MagicINFO S6	- In: DVI-D, DP1.2, HDMI 2.0(2), HDCP 2.2, Stereo Mini Jack, USB 2.0(2) - Out: HDMI 2.0(Loop-out), Stereo Mini Jack - Ext: RS232C(in/out), RJ45
Signage	QMR	50", 55", 65", 75", 85"	3840 x 2160	500 nit	4000:1	24/7	Non-glare	SSSP 6.0	MagicINFO S6	 In: DVI-D, DP1.2, HDMI 2.0(2), HDCP2.2, Stereo Mini Jack, USB 2.0(2) Out: HDMI 2.0(Loop-out), Stereo Mini Jack Ext: RS232C(in/out), RJ45
	QMT	98"	3840 x 2160	500 nit	4000:1	24/7	Non-glare	SSSP 6.0	MagicINFO S6	 In: DVI-D, DP1.2, HDMI 2.0(2), HDCP 2.2, Stereo Mini Jack, USB 2.0(2) Out: HDMI 2.0(Loop-out), Stereo Mini Jack Ext: RS232C(in/out), RJ45

	Category	Model	Screen size	Resolution	Brightness	Contrast ratio	Touch type	Touch pen type	# of drawing	response time	recognition range	Connectivity
	Interatctive display	WMR	55"	3840 x 2160	350 nit (w/o glass) 220 nit (with glass)	4000:1 (w/o glass)	InGlass™ touch	Passive pen	4 drawing	6.7 ms	2mm/ 4mm / 8mm / 50mm, 2048 level on Brush Mode	 In: [Basic] HDMI(2), USB / [With tray] HDMI(3), USB(2), USB External(in/out) Out: [Basic] Touch out, Audio out / [With tray] Touch out(2), Audio out, HDMI out Ext: RS232C, RJ45
			65"	3840 x 2160	350 nit (w/o glass) 220 nit (with glass)	4000:1 (w/o glass)	InGlass™ touch	Passive pen	4 drawing	8 ms	2mm/ 4mm / 8mm / 50mm, 2048 level on Brush Mode	 In: [Basic] HDMI(2), USB / [With tray] HDMI(3), USB(2), USB External(in/out) Out: [Basic] Touch out, Audio out / [With tray] Touch out(2), Audio out, HDMI out Ext: RS232C, RJ45
			85"	3840 x 2160	350 nit (w/o glass) 220 nit (with glass)	4000:1 (w/o glass)	IR touch	Passive pen	20 drawing	6 ms	2mm/ 4mm / 8mm / 50mm, 2048 level on Brush Mode	- In: HDMI(2), USB(2), USB External(2), DP, OPS - Out: Touch out(2), Audio out, HDMI out - Ext: RS232C, RJ45
		WMA	75"	3840 x 2160	350 nit (w/o glass) 220 nit (with glass)	4000:1 (w/o glass)	IR touch	Passive pen	20 drawing	6 ms	2mm/ 4mm / 8mm / 50mm, 2048 level on Brush Mode	- In: HDMI(2), USB(2), USB External(2), DP, OPS - Out: Touch out(2), Audio out, HDMI out - Ext: RS232C, RJ45

Specifications

Logitech products & solutions

Category	Model	Inside the box	Product dimensions (H x W x D)	System requirements	Certifications & Compatibility	Warranty
	C925E	Logitech C925e Webcam, Quick Start Guide	- Without clip & cable : 5.0 x1.2 x1.3" /126 x 29 x 32 mm - With clip & cable : 5.0 x 2.9 x1.8" / 126 x 73 x 45 mm	Windows® 7, 8, 10 / Mac OS X@ 10.7 or higher / SUSE Linux 11 SP2 (for Cisco VXC6215)	Certified for Skype for Business, ptimized for Microsoft® Lync®, Skype® certified, Cisco Jabber® and WebEx® compatible*	3-year limited hardware warranty
Web cameras	C930E	Logitech Webcam C930e, External Privacy Shutter, Quick Start Guide	- Without clip : 1.14 x 3.7 x 0.95" / 29 x 94 x 24 mm - With clip : 1.7 x 3.7 x 2.8" / 43 x 94 x 71 mm	Windows® 7, 8, 10 / Mac OS X® 10.7 or higher with: 2.4GHz Intel® Core 2 Duo processor, 2GB RAM or more, Hard drive space for re- corded videos, USB 2.0 port (USB 3.0 ready)	Certified for Skype for Business, Cisco com- patible*, Enhanced integration with Logitech Collaboration Program (LCP) members**	3-year limited hardware warranty
	BRIO	Webcam camera, Removable clip, USB 3.0 cable with Type A connector	- Camera : 1 x 4 x1" / 27 x102 x 27 mm - Clip : 3.9 x1.4 x 0.22" / 99 x 36 x 6 mm - Cable : 7.2 ft / 2.2 m	Windows® 7, 8.1, 10 / Mac OS X® 10.10 or higher / Google Chromebook™ Version 29.0.1547.70, Platform 4319.79.0 with: 2.4 GHz Intel® Core 2 Duo processor, 2 GB RAM or more, Hard drive space for recorded videos, USB 2.0 port (USB 3.0 required for 4K)	Certified compatible with Skype for Business and Microsoft Teams, Windows®, Mac, and Microsoft Windows Hello™ certified. Works with Cortana, Cisco Jabber™ and WebEx® compatible, UVC/plug-and-play compatible	3-year limited hardware warranty
lladat	Zone Wired	Headset with wired USB-C con- nection, USB-A adapter, Travel bag, User documentation	- Headset : 6.53 x 7.08 x 2.63° / 165.93 x 179.73 x 66.77 mm - Cable : 6.23 ft / 1.9 m	Windows⊚ or Mac⊚ based computer with available USB-C or USB-A port	Certified for Skype® for Business, Compat- ible with BlueJeans, Cisco® (Broadsoft®), Fuze, Google® Voice™, GoToMeeting™, Microsoft® Teams, Starleaf, TruConf, Unify, Zoom	2-year limited hardware warranty
Headset	Zone Wireless	Wireless headset, USB-A receiver or USB-A Unifying + Audio receiver, Micro USB charging cable, Travel Bag, User documentation	- Headset : 6.88 x 6.96 x 2.78" / 1747, x1767 x 70.7 mm - Ear pad : 2.78 x 2.78 x 0.65" / 70.7 x 70.7 x 16.4 mm - Zone Wireless Receiver : 0.35 x 0.54 x 0.24" / 9 x 13.6 x 6 mm - Zone Wireless Plus Receiver : 0.9 x 0.64 x 0.21" / 23 x 16.2 x 0.53 mm	Windows©, Mac OS@, Chrome OS™, Blue- tooth, Android™and iOS® enabled devices	Certified for Skype® for Business, Compat- ible with BlueJeans, Cisco® (Broadsoft®), Fuze, Google® Voice™, GoToMeeting™, Microsoft® Teams, Starleaf, TruConf, Unify, Zoom	2-year limited hardware warranty
	Rally Bar Mini	Rally Bar Mini Power supply AC power cord HDMI cable USB cable Remote control Lens caps for main lens and AI Viewfinder User documentation	Height: 91.4 mm / 3.6 in Width: 719 mm / 2.36 ft Depth: 101 mm / 3.98 in Lens Depth: 18.5 mm / 0.73 in	USB mode: Windows® 7 with latest service pack / Windows® 8, 8.1 / Windows® 10 or later / Latest 2 versions of macOS® with Internet connection (wired or wireless) Appliance mode: Internet connection (wired or wireless) and appropriate room solution license	Plug and play USB connectivity with virtually any video conferencing application. Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including GoToRoom, Pexip Room, RingCentral, Microsoft Teams and Zoom Room. Available Spring 2021	Standard: 2-year limited hard- ware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.
Video	Rally Bar	Rally Bar Power supply AC power cord HDMI cable USB cable Remote control Lens caps for main camera and AI Viewfinder User documentation	Height: 164 mm / 6.46 in Width: 910 mm / 2.99 ft Depth: 130.5 mm / 5.14 in Lens Depth: 28.8 mm / 1.13 in	USB mode: Windows® 7 with latest service pack / Windows® 8, 8.1 / Windows® 10 or later / Latest 2 versions of macOS® with Internet connection (wired or wireless) Appliance mode: Internet connection (wired or wireless) and appropriate room solution license	Plug and play USB connectivity with virtually any video conferencing application. Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including GoToRoom, Pexip Room, RingCentral, Microsoft Teams and Zoom Room. Available Spring 2021	Standard: 2-year limited hard- ware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.
Video conferencing solution	Rally Bar Plus	Rally Camera, Speaker: 1 (Rally) or 2 (Rally Plus), Mic Pod: 1 (Rally) or 2 (Rally Plus), Table Hub, Display Hub, 2 x Power Supplies, Remote Control, USB C to C cable, USB A to B cable, CAT6A, 2 x HDMI A to A cable, Documentation	- Rally Camera : 7.19 x 5.98 x 5.98 ' / 182.5 x 152 x 152 mm - Rally Speaker : 4.05 x 17.67 x 3.15' / 103 x 449 x 80 mm - Rally Mic Pod : 0.83 x 4.01 x 4.01'' / 21 x 102 x 102 mm - Rally Table Hub : 1.57 x 6.93 x 5.43'' / 40 x 176 x 179 mm - Rally Display Hub : 1.57 x 8.11 x 7.05'' / 40 x 206 x 179 mm - Rally Mic Pod Hub : 0.63 x 4.01 x 4.01'' / 16 x 102 x 102 mm	Windows® 7, 8.1, 10 / Mac OS® 10.10 or higher / Chrome OS™	Certified for Skype for Business and Microsoft Teams, Zoom Certified, Fuze Certified, Cer- tified for Google Hangouts Meet Hardware, Microsoft Cortana@ certified, Cisco Jabber@ and WebEx Compatible, Compatible with BlueJeans, BroadSoft, GoToMeeting, Video, and othervideo conferencing, recording, and broadcasting applications that support USB cameras, UVC/plug-and-play compatible	2-year limited hardware warranty
	Room- Mate	Logitech RoomMate Powersupply AC cable VESA bracket Remote control User documentation	Height: 34.5 mm /1.36 in Width: 161 mm / 6.34 in Depth: 211 mm /8.31 in	Logitech Rally/Rally Plus or MeetUp, Internet connection (wired or wireless), and appropriate room solution license	Supports compatible video conferencing software, including GoToRoom, Pexip Room, RingCentral, Microsoft Teams and Zoom Room. Available Summer 2021. Compatible devices: Logitech MeetUp, Rally Camera, Rally System, Rally Plus System	Standard: 2-year limited hard- ware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.